2005 Indiana Fish Consumption Advisory Streams and Rivers

Carp 15-20	Location	Species	Fish Size (inches)	Contaminant	Group
All Counties (unless specified otherwise) 20-25	All Indiana Rivers and	l Streams			
Specified otherwise 20-25	All Counties (unless	Carp	15-20		3
Aboit Creek Allen County			20-25		4
Allen County Creek Chub Up to 5 1 Anderson River Black Buffalo 25+ 3 Spencer County Channel Catfish 13+ 3 Beanblossom Creek Monroe County Channel Catfish 13+ 3 Big Blue River Carp 19-24 3 Henry County 24+ 4 Rock Bass 4-7 3 7+ 4 White Sucker 8-10 3 10+ 4 Rush County Carp 19-24 3 Shelby County Carp 19-24 3			25+		5
Anderson River Black Buffalo 25+ 3 Spencer County Channel Catfish 13+ 3 Beanblossom Creek Monroe County Channel Catfish 13+ 3 Big Blue River Carp 19-24 3 Henry County 24+ 4 Rock Bass 4-7 3 7+ 4 White Sucker 8-10 3 10+ 4 Rush County Carp 19-24 3 24+ 4 Shelby County Carp 19-24 3	Aboit Creek				
Spencer County Channel Catfish 13+	Allen County	Creek Chub	Up to 5		1
Beanblossom Creek Monroe County Channel Catfish 13+ 3 Big Blue River Carp 19-24 3 Henry County 24+ 4 Rock Bass 4-7 3 7+ 4 White Sucker 8-10 3 10+ 4 Rush County Carp 19-24 3 24+ 4 Shelby County Carp 19-24 3 19-24 3	Anderson River	Black Buffalo	25+		3
Monroe County Channel Catfish 13+ 3 Big Blue River Carp 19-24 3 Henry County 24+ 4 Rock Bass 4-7 3 7+ 4 White Sucker 8-10 3 10+ 4 Rush County Carp 19-24 3 24+ 4 Shelby County Carp 19-24 3	Spencer County	Channel Catfish	13+		3
Big Blue River	Beanblossom Creek			_	
Henry County 24+	Monroe County	Channel Catfish	13+		3
Rock Bass 4-7 3 7+ 4 White Sucker 8-10 3 10+ 4 Rush County Carp 19-24 3 24+ 4 Shelby County Carp 19-24 3	Big Blue River	Carp	19-24		3
White Sucker 8-10 3 10+ 4 Rush County Carp 19-24 3 24+ 4 Shelby County Carp 19-24 3	Henry County		24+		4
White Sucker 8-10 3 10+ 4 Rush County Carp 19-24 3 24+ 4 Shelby County Carp 19-24 3		Rock Bass	4-7		3
10+ 4 Rush County Carp 19-24 3 24+ 4 Shelby County Carp 19-24 3			7+		4
Rush County Carp 19-24 3 24+ 4 Shelby County Carp 19-24 3		White Sucker	8-10		3
Z4+ 4 Shelby County Carp 19-24 3			10+		4
Shelby County Carp 19-24 3	Rush County	Carp	19-24		3
5			24+		4
	Shelby County	Carp	19-24		3
4			24+		4
Golden Redhorse Up to 18 3		Golden Redhorse	Up to 18		3
4			18+		4
Northern Hogsucker 9-10 3		Northern Hogsucker	9-10		3
4			10+		4
River Redhorse 14+ 3		River Redhorse	14+		3
Rock Bass 4+ 3		Rock Bass	4+		3
Smallmouth Bass 15+ 3		Smallmouth Bass	15+		3
Johnson County Carp 19-24 3	Johnson County	Carp	19-24		3
24+			24+		4
Longear Sunfish 5+ 3		Longear Sunfish	5+		3

General Population	O = Mercury	□ = PCBs
Group 1 = Unlimited meals	Group 2 = 1 meal/week	Group 3 = 1 meal/month
<u> </u>		· ·

Group 4 = 1 meal/2 months Group 5 = DO NOT EAT (For women and children, please refer to the Guidelines on page 8.)

Page 14

Location	Species	Fish Size (inches)	Contaminant	Group
Big Blue River (Cont.)	Northern Hogsucker	8-10		3
Johnson County	Northern Hogsacker	10+	H	4
(Cont.)	Rock Bass	7+	Ħ	3
	Smallmouth Bass	5-8		3
	Silialiilloutii bass	5-6 8+	H	3 4
Pig Comp Crook	_	0+		4
Big Camp Creek	Langear Cuntich	lle to F		4
Jefferson County	Longear Sunfish	Up to 5		1
Big Creek				
Jefferson County	Longear Sunfish	Up to 5		1
Big Monon Creek White County	Longeared Sunfish	Up to 4		1
Write County	White Sucker	Up to 10		1
Big Pine Creek				
Warren County	Smallmouth Bass	11+		3
Big Raccoon Creek				
Parke County	Channel Catfish	17-22		3
		22+		4
Blue River				
Harrison County	Channel Catfish	15+		3
	Rock Bass	7+		3
	Shorthead Redhorse	17+		3
	Spotted Bass	10+		3
Buck Creek	Longear Sunfish	5-6		3
Delaware County	· ·	6+		4
	White Sucker	14+		3
Cedar Creek	Carp	ALL		5
Allen County	River Chub	4+		3
Clear Creek				
Monroe County	ALL SPECIES	ALL		5
Clear Creek				
Whitley County	Creek Chub	Up to 7		1
Crooked Creek				
Steuben County	Carp	23+		2

General Population	O = Mercury	□ = PCBs
Group 1 = Unlimited meals	Group 2 = 1 meal/week	Group 3 = 1 meal/month
Group 4 = 1 meal/2 months	Group 5 = DO NOT EAT	

Location	Species	Fish Size (inches)	Contaminant	Group
Deer Creek				
Carroll County	Carp	Up to 19		2
		19+		3
	Longear Sunfish	Up to 5		1
	Smallmouth Bass	10+		3
Eagle Creek	Channel Catfish	Up to 20		3
Marion County		20-23		4
		23+		5
	White Sucker	13+		3
Easterday Ditch				
Kosciusko County	Carp	Up to 23		2
		23+		3
East Fork of White Lic	k Creek			
Hendricks County	Creek Chub	9+		3
	Northern Hogsucker	11+		3
	Yellow Bullhead	10+		3
East Fork of White Riv	/er			
Bartholomew County	Carp	Up to 18		1
		18-23		2
		23+		3
	Flathead Catfish	Up to 13		1
		24+		3
	Golden Redhorse	13+		3
Jackson County	Bigmouth Buffalo	18+		3
	Carp	Up to 18		1
		18-23		2
		23+		3
	Channel Catfish	Up to 14		1
	Flathead Catfish	Up to 13		1
		24+		3
	Golden Redhorse	14-16		3
		16+		4
	Silver Redhorse	22+		3

General Population

O = Mercury

☐ = PCBs

Group 3 = 1 meal/month

Group 1 = Unlimited meals Group 2 = 1 meal/week Group 3
Group 4 = 1 meal/2 months Group 5 = DO NOT EAT
(For women and children, please refer to the Guidelines on page 8.)

Page 16

Location	Species	Fish Size (inches)	Contaminant	Group		
East Fork of White River (Cont.)						
Jackson County	Smallmouth Bass	13+		3		
(Cont.)	Smallmouth Buffalo	19-26		3		
		26+		4		
Lawrence County	Channel Catfish	Up to 15		3		
		15-21		4		
		21+		5		
	Freshwater Drum	10+		3		
	Bigmouth Buffalo	Up to 18		3		
		18+		4		
	Flathead Catfish	10-16		3		
		16+		4		
	Largemouth Bass	Up to 11		3		
		11-14		4		
		14+		5		
	Longear Sunfish	3+		3		
	River Carpsucker	15+		3		
	Sauger	14+		3		
	Shorthead Redhorse	Up to 14		3		
		14-16		4		
		16+		5		
	Smallmouth Buffalo	Up to 15		4		
		15+		5		
	Spotted Sucker	17+		3		
	Striped Bass	22+		4		
Martin County	Carp	Up to 23		3		
		23+		4		
	Channel Catfish	12-19		3		
		20+		4		
	Freshwater Drum	10+		3		
	Longear Sunfish	3+		3		

General PopulationGroup 1 = Unlimited meals O = Mercury Group 2 = 1 meal/week □ = PCBs Group 3 = 1 meal/month Group 4 = 1 meal/2 months Group 5 = DO NOT EAT (For women and children, please refer to the Guidelines on page 8.)

Location	Species	Fish Size (inches)	Contaminant	Group	
East Fork of White Rive	r (Cont.)				
Martin County (Cont.)	Shorthead Redhorse	Up to 14		3	
		14-16		4	
		16+		5	
	Smallmouth Buffalo	Up to 15		4	
		15+		5	
Dubois County	Carp	22-24		3	
		24+		4	
	Channel Catfish	19+		3	
	Flathead Catfish	24+		3	
	Longear Sunfish	4+		3	
East Fork of Whitewater	r River				
Wayne County	Channel Catfish	12-16		3	
		16+		4	
	Longear Sunfish	Up to 6		1	
	Northern Hogsucker	Up to 9		1	
East Fork of Wildcat Cre	eek				
Howard County	Carp	Up to 23		2	
		23+		3	
Eel River (West Fork Wi	hite River Basin)				
Greene County	Sauger	18+		3	
Eel River (Upper Wabas	h River Basin)				
Whitley/Wabash/Miami/ Cass Counties	All Species (unless specifically listed)	All		3	
	Bluegill	6+		4	
	Carp	24+		4	
Elkhart River	Rock Bass	9+		3	
Elkhart County	Smallmouth Bass	17+		3	
•	White Sucker	16+		3	
Elkhorn Creek					
Randolph County	Creek Chub	Up to 3		1	

General Population	O = Mercury	□ = PCBs
Group 1 = Unlimited meals	Group 2 = 1 meal/week	Group 3 = 1 meal/montl
Group 4 = 1 meal/2 months	Group 5 = DO NOT EAT	
(For women and children, plea	se refer to the Guidelines or	n page 8.)

Location	Species	Fish Size (inches)	Contaminant	Group
Elliot Ditch				
Tippecanoe County	ALL SPECIES	ALL		5
Fall Creek	Carp	19-22		3
Madison County		22+		4
	Channel Catfish	Up to 22		3
		22+		4
	Rock Bass	7+		3
	Smallmouth Bass	15+	0	3
Fall Creek (Upstream	of Geist Reservoir)			
Hamilton County	Carp	16-23		2
		23+		3
	Channel Catfish	25+		3
Marion County	Carp	Up to 20		4
		20+		5
	Channel Catfish	Up to 18		3
		18-20		4
		20+		5
	Largemouth Bass	14+		3
Flatrock River				
Rush County	Longear Sunfish	ALL		1
Shelby County	Carp	22-23	∐ o	2
		23+		3
	Flathead Catfish	Up to 18		1
	Longear Sunfish	ALL		1
Bartholomew County	Longear Sunfish	ALL		1
Galena River (South E	Branch)			
LaPorte County	Creek Chub	5-7		3
Graham Creek				
Jennings County	Longear Sunfish	Up to 6		1

	_	
General Population	O = Mercury	□ = PCBs
Group 1 = Unlimited meals	Group 2 = 1 meal/week	Group 3 = 1 meal/month
Group $4 = 1 \text{ meal/2 months}$	Group 5 = DO NOT FAT	

Group 4 = 1 meal/2 months Group 5 = DO NOT EAT (For women and children, please refer to the Guidelines on page 8.)

Location	Species	Fish Size (inches)	Contaminant	Group
Great Miami River	Carp	Up to 16		3
Dearborn County		16-20		4
		20+		5
	Channel Catfish	Up to 15		4
		15+		5
	Largemouth Bass	18+		3
	White Crappie	8-11		3
		11+		4
Hanna Creek	Carp	Up to 16		1
Union County		16+		2
Honey Creek				
White County	Largemouth Bass	20+		3
Indian Creek (Whitewa	ater Basin)			
Union County	Carp	Up to 9		1
		9+	0	2
Iroquois River				
Jasper/Newton Counties	Carp	28+		3
Juday Creek				
St. Joseph County	White Sucker	17+		3
Kankakee River				
LaPorte County	Bigmouth Buffalo	22+		3
	Channel Catfish	17+		3
	Quillback	15-16		3
	Shorthead Redhorse	13-17		3
		17+		4
Lake/Newton	Bigmouth Buffalo	24+		3
Counties	Carp	20-22		2
		22+		3
	Quillback	15+		3

General Population	O = Mercury	□ = PCBs			
Group 1 = Unlimited meals	Group 2 = 1 meal/week	Group 3 = 1 meal/month			
Group 4 = 1 meal/2 months	Group 5 = DO NOT EAT				
(For women and children, please refer to the Guidelines on page 8.)					

Page 20

Madison County 23+ 3 5-6 3 Longear Sunfish 4 6+ Smallmouth Bass 13+ 3 Kilmore Creek Carp Up to 12 1 Clinton County Creek Chub Up to 7 1 Kokomo Creek **ALL SPECIES** ALL 5 **Howard County Laughery Creek** \Box Dearborn/Ohio Counties Carp 2 21+ Little Blue River (Ohio River Basin) 3 Crawford County Channel Catfish 16+ Freshwater Drum 18+ 3 Largemouth Bass 18+ 3 3 Sauger 14+ Little Blue River 3 Shelby County Northern Hogsucker 11+ Little Mississinewa River ALL SPECIES ALL 5 Randolph County Little Pigeon Creek Bluegill Up to 5 1 Warrick County **Channel Catfish** 17+ 3 Freshwater Drum 19+ 3 3 Largemouth Bass 11+ 3 18+ Sauger **General Population** O = Mercury ☐ = PCBs Group 2 = 1 meal/week Group 1 = Unlimited meals Group 3 = 1 meal/month Group 5 = DO NOT EAT Group 4 = 1 meal/2 months(For women and children, please refer to the Guidelines on page 8.)

Fish Size

(inches)

16-19

19+

20+

22-28 28-32 **32+**

19-23

Species

Carp

Shorthead Redhorse

Smallmouth Buffalo

Silver Redhorse

Location

(Cont.)

Killbuck Creek

Kankakee River (Cont.) Lake/Newton Counties Contaminant Group

3

4

3

3

5

2

Location	Species	Fish Size (inches)	Contaminant	Group
Little Pipe Creek				
Miami County	Creek Chub	Up to 5		1
Little Salt Creek				
Lawrence County	Longear Sunfish	Up to 4		1
Little Sugar Creek (E	ast Fork White River Bas	sin)		
Hancock County	Creek Chub	ALL		3
Little Sugar Creek/Wa	alnut Fork* (Middle Waba	ash Basin)		
Montgomery County	ALL SPECIES	ALL		5
Maumee River	Bigmouth Buffalo	20+		3
Allen County	Carp	Up to 20		4
		20-22		5
	Channel Catfish	14-16		3
		16+		4
	Largemouth Bass	9+		3
	River Redhorse	12-14		3
		14+	$\overline{\Box}$	4
	Rock Bass	7-8		3
		8+	ī	4
	Sauger	24+		3
	Shorthead Redhorse	14-16		3
	Choranous resulting	16+		4
	Walleye	Up to 21		4
	·	21+		5
Middle Fork Wildcat	Creek			
Tippecanoe County	Black Redhorse	Up to 10		1
	Carp	Up to 22	ПО	2
	•	22+	\Box \circ	3
	Golden Redhorse	Up to 10		1
Mill Creek		· ·		
Fulton County	Creek Chub	Up to 5		1
*Walnut Fork includes the confluence with Sugar Co	he lower portion from the con reek.	ıfluence of Little	e Sugar Creek to i	its

General Population	O = Mercury	□ = PCBs
Group 1 - Unlimited meals	Group 2 – 1 meal/week	Group 3 – 1 meal/m

Page 22

Group 1 = Unlimited meals Group 2 = 1 meal/week Group 3 = 1 meal/month
Group 4 = 1 meal/2 months Group 5 = DO NOT EAT
(For women and children, please refer to the Guidelines on page 8.)

Location	Species	Fish Size (inches)	Contaminant	Group
Mississinewa River Randolph/Delaware/	All Species (unless specifically listed)	All		3
Grant/Miami Counties	Carp	Up to 18		4
		18+		5
Randolph County	Channel Catfish	Up to 15		4
		15+		5
	Green Sunfish	3+		5
	Smallmouth Bass	14+		4
	White Crappie	10+		4
	White Sucker	10+		4
	Quillback	15+		4
Delaware County	Carp	21+		4
	Channel Catfish	21+		4
	Quillback	15+		4
	White Sucker	10+		4
Grant County	Carp	21+		4
	Channel Catfish	24+		4
	Flathead Catfish	17+		4
	Quillback	13+		4
	White Sucker	10+		4
Muddy Fork of Sand C	reek			
Decatur County	Black Redhorse	15+	0	3
	Largemouth Bass	6-11		3
		11+		4
	Longear Sunfish	Up to 4		1
	Northern Hogsucker	6-10		3
		10+		4
	White Sucker	10-12		1
Muscatatuck River	Bigmouth Buffalo	26+		3
Jackson/Washington Counties	Carp	23+	0	3
	Channel Catfish	Up to 21		1
	Smallmouth Buffalo	23+		3

General Population	O = Mercury	□ = PCBs
Group 1 = Unlimited meals	Group 2 = 1 meal/week	Group 3 = 1 meal/month
Group 4 = 1 meal/2 months	Group 5 = DO NOT EAT	
(For women and children, plea	se refer to the Guidelines or	n page 8.)

Location	Species	Fish Size (inches)	Contaminant	Group
Mud Creek	Creek Chub	Up to 7		1
Fulton County	White Sucker	Up to 11		1
North Fork Salt Creek	Carp	23+	0	2
Brown County	Longear Sunfish	ALL		1
North Fork Vernon Forl	k Muscatatuck River			
Jennings County	Carp	20+	0	2
	Longear Sunfish	ALL		1
Otter Creek	Black Redhorse	14+		3
Vigo County	Spotted Bass	8+	0	3
Paw Paw Creek	Creek Chub	Up to 7		1
Miami County	White Sucker	Up to 10		1
Patoka River	Bigmouth Buffalo	21+	0	3
Dubois County	Channel Catfish	19+		3
Gibson County	Black Buffalo	25+		3
	Channel Catfish	18+		3
	Flathead Catfish	20+		3
Pike County	Freshwater Drum	22+		3
Pigeon Creek (St. Jose	ph River Basin)			
Steuben County	Carp	21-25		3
		25+		4
Pigeon Creek (Ohio Riv	er Basin)		_	
Vanderburgh County	Channel Catfish	Up to 15	Ш	3
		15-18	Ш	4
		18+	<u> </u>	5
	Freshwater Drum	19+		3
Pipe Creek				
Madison County	White Sucker	12+		3
Pipe Creek	Creek Chub	Up to 7		1
Miami County	White Sucker	Up to 10		1
Pleasant Run Creek			_	
Lawrence County	ALL SPECIES	ALL		5

General Population
Group 1 = Unlimited meals O = Mercury ☐ = PCBs

Group 2 = 1 meal/week Group 3 = 1 meal/month Group 5 = DO NOT EAT Group 4 = 1 meal/2 months

(For women and children, please refer to the Guidelines on page 8.)

Page 24

Location	Species	Fish Size (inches)	Contaminant	Group
Prairie Creek				
Boone County	Creek Chub	6-7		3
Richland Creek				
Monroe/Green/Owen	Black Redhorse	13+		3
Counties	Creek Chub	5-7		3
		7+		4
	Freshwater Drum	15+		3
	Largemouth Bass	13+		3
	Longear Sunfish	6+		3
	Rock Bass	7+		3
	Spotted Bass	12+		3
	White Sucker	8-11	По	3
	Willie Sucker	11+		4
Rock Creek	Corn	20+	0	2
Huntington County	Carp Longear Sunfish	Up to 4		1
Salamonie River	Longear Sumism	Op 10 4		į
Jay/Blackford/	Carp	Up to 19		1
Huntington/Wabash	•	19+		2
Counties	Freshwater Drum	Up to 11		1
	Golden Redhorse	Up to 11		1
	Rock Bass	Up to 6		1
	Spotted Sucker	Up to 10		1
	White Crappie	Up to 7		1
	White Sucker	Up to 10		1
Salt Creek Monroe Co	ounty** (tailwaters of Mo	onroe Reservo	oir <u>Da</u> m to Clea	r Creek)
	Freshwater Drum	Up to 16		4
		16+		5
	Striped Bass	12+		3
	Walleye	15-21		3
		21+		4
Salt Creek Monroe Co	ounty (confluence of Cl	ear Creek to L	awrence Count	y)
Lawrence County	ALL SPECIES	ALL		5
**This listing is based on limited data. It should be noted that fish migrate. Fish not sampled from these waters may migrate from the confluence of Clear Creek and Salt Creek, 1.3 miles south. Those water bodies have No Consumption advisories. Future sampling of the Salt Creek				

tailwaters below the Monroe Reservoir Dam is planned for more comprehensive results.

O = Mercury Group 2 = 1 meal/week □ = PCBs **General Population** Group 1 = Unlimited meals Group 3 = 1 meal/month

Group 4 = 1 meal/2 months Group 5 = DO NOT EAT (For women and children, please refer to the Guidelines on page 8.)

Location	Species	Fish Size (inches)	Contaminant	Group
Sand Creek				
Decatur/Jackson/	Black Redhorse	Up to 7		1
Jennings Counties	Carp	13-27	0	2
		27+	0	3
	Longear Sunfish	Up to 4		1
	Northern Hogsucker	Up to 8		1
	River Carpsucker	Up to 12		1
	White Sucker	Up to 8		1
	Yellow Bullhead	10-12		3
		12+		4
Silver Creek	Carp	21-25		3
Floyd County		25+		4
	Channel Catfish	17-20		3
		20+		4
	Freshwater Drum	18+		3
South Fork Wildcat C	reek			
Clinton/Tippecanoe	Black Redhorse	13+		3
Counties	Carp	Up to 18		2
		18-26		3
		26+		4
	Channel Catfish	19+		3
	Creek Chub	7+		3
	Golden Redhorse	11+		3
	Longear Sunfish	4+		3
	Rock Bass	7+		3
	Smallmouth Bass	10+		3
	White Sucker	12+		3
Stony Creek				
Hamilton County	ALL SPECIES	ALL		5
Stouts Creek				
Monroe County	Creek Chub	8+		3

General Population
Group 1 = Unlimited meals
Group 4 = 1 meal/2 months
(For women and children, please refer to the Guidelines on page 8.)

General Population
O = Mercury
Group 2 = 1 meal/week
Group 3
Group 5 = DO NOT EAT ☐ **= PCBs**Group 3 = 1 meal/month

Page 26

Location	Species	Fish Size (inches)	Contaminant	Group
St. Joseph River (Lak	e Erie Basin)		<u></u>	
Allen County	Black Crappie	9-11		3
		11+		4
	Black Redhorse	13-16		3
		16+		4
	Channel Catfish	13-14		3
		15-20		4
		20+		5
	Golden Redhorse	12-13		3
		13+		4
	Rock Bass	7-9		3
		9+		4
St. Joseph River (Lak	e Michigan Basin)			
Elkhart County	Carp	25-28		3
		28+		4
	Channel Catfish	29+		3
	Golden Redhorse	17+		3
	Northern Hogsucker	15+		3
	Shorthead Redhorse	15-17		3
		17+		4
	Smallmouth Bass	11+		3
	Walleye	16+		3
St. Joseph County	Black Redhorse	16-18		3
		18+		4
	Carp	Up to 20		4
		20+		5
	Channel Catfish	22+		4
	Golden Redhorse	13-22		3
		22+		4
	Largemouth Bass	14+		3
	Quillback	18+		3

General Population	O = Mercury	□ = PCBs
Group 1 = Unlimited meals	Group 2 = 1 meal/week	Group 3 = 1 meal/mont
Group 4 = 1 meal/2 months	Group 5 = DO NOT EAT	

Location	Species	Fish Size (inches)	Contaminant	Group
St. Joseph River (Lake	e Michigan Basin) (Cont	.)		
St. Joseph County	Rainbow Trout (also	25-31		3
(Cont.)	known as Steelhead)	31+		4
		16+		4
	Rock Bass	8+		3
	Shorthead Redhorse	15-19		3
		19+		4
	Smallmouth Bass	9+		3
	White Sucker	14-16		3
St. Marys River	Bigmouth Buffalo	20-25		3
Allen County		25+		4
	Black Redhorse	15+		3
	Carp	Up to 16		4
		16+		5
	Channel Catfish	13-15		3
		15+		4
	Largemouth Bass	Up to 15		3
		15+		4
	Quillback	14+		3
	Silver Redhorse	17+		3
	White Sucker	11+		3
Sugar Creek (East For	k White River Basin)			
Hancock/Johnson/ Shelby Counties	Black Redhorse	9-16		1
Oneiby Counties	Carp	Up to 24	0	2
		24+	0	3
	Longear Sunfish	Up to 5		1
	Northern Hogsucker	Up to 11		1

Location	Species	Fish Size (inches)	Contaminant	Group
Sugar Creek (Middle V	Vabash River Basin)			
Montgomery County	Black Redhorse	Up to 13		4
I-74 to S.R. 32		13+		5
	Channel Catfish	Up to 14		4
		14+		5
	Freshwater Drum	Up to 13		4
		13+		5
	Rock Bass	Up to 9		4
		9+		5
	Smallmouth Bass	Up to 9		4
		9+		5
S.R. 32 to Parke	Black Redhorse	Up to 14		3
County		14-16		4
		16+		5
	Channel Catfish	13-20		3
		20+		4
	Flathead Catfish	Up to 26		3
		26+		4
	Rock Bass	7+		3
	Shorthead Redhorse	13-15		3
		15+		4
	Smallmouth Bass	Up to 15		3
		15+		4
	Northern Hogsucker	12+		3
Parke County	Black Redhorse	12-16		3
		16+		4
	Channel Catfish	13-20		3
		20+		4

General Population	O = Mercury	□ = PCBs
Group 1 = Unlimited meals	Group 2 = 1 meal/week	Group 3 = 1 meal/month
Group 4 = 1 meal/2 months	Group 5 = DO NOT EAT	

(For women and children, please refer to the Guidelines on page 8.)

General Population

□ = PCBs

Group 1 = Unlimited meals Group 4 = 1 meal/2 months

O = Mercury Group 2 = 1 meal/week Group 5 = DO NOT EAT

Group 3 = 1 meal/month

Location	Species	Fish Size (inches)	Contaminant	Group		
Sugar Creek (Middle Wabash River Basin) (Cont.)						
Parke County (Cont.)	Freshwater Drum	16+		3		
	Northern Hogsucker	12+		3		
	Sauger	21+		3		
	Smallmouth Bass	11+		3		
Tanners Creek	Bluegill	Up to 5		1		
Dearborn County	Carp	19-21		2		
		21+		3		
	Largemouth Bass	17+		3		
Tippecanoe River						
Koscuisko County (Osw	rego to State Road 15)					
	Bluegill	Up to 5		1		
	Carp	Up to 23		2		
		23+		3		
	Longear Sunfish	Up to 5		1		
	Rock Bass	Up to 6		1		
	Warmouth	Up to 6		1		
Koscuisko County (Dow	nstream of State Road 1	5)				
	Bluegill	6+		3		
	Carp	20-27		3		
		27+		4		
	Redhorse Species	16-18		3		
		18+		4		
Fulton County	Carp	Up to 24		2		
		24+		3		
Pulaski County	Carp	16-25		2		
		25+		3		
	Longear Sunfish	Up to 4		1		
Carroll County	Carp	21-22		2		
		22+		3		

General Population	O = Mercury	□ = PCBs
Group 1 = Unlimited meals	Group 2 = 1 meal/week	Group 3 = 1 meal/month
Group 4 = 1 meal/2 months	Group 5 = DO NOT EAT	
(For women and children, plea	ase refer to the Guidelines or	n page 8.)

Freshwater Drum 3 12-18 4 18+ 0 3 Quillback 17+ General Population O = Mercury □ = PCBs Group 1 = Unlimited meals Group 2 = 1 meal/week Group 3 = 1 meal/month Group 5 = DO NOT EAT Group 4 = 1 meal/2 months (For women and children, please refer to the Guidelines on page 8.) Page 31

Fish Size

(inches)

Up to 23

23+

19+

14-19

18-27

Up to 2

Up to 3

Up to 22

Up to 12

Up to 13

Up to 9

21-26

Up to 22

Up to 12

11-21 21+

21-26

26+

19+

26+

22+

22+

21+

27+

Species

Smallmouth Bass

Blacknose Dace

Channel Catfish
Freshwater Drum

Golden Redhorse

Freshwater Drum

White Bass

Blue Sucker

Channel Catfish

White Crappie

Blue Sucker

Carp

Creek Chub

Carp

Carp

Walleye

Location

Trail Creek

LaPorte County

Travers DitchFulton County

Miami County

Counties

Counties

Miami County

Wabash River Adams/Wells

Huntington/Wabash

Unnamed Tributary of Eel River

Contaminant

Group

4

5

3

3

4

1

1

2

3

3

1

1

1

3

4

2

3

1

3

4

3

4

3

 \Box

 \Box

 \neg

Location	Species	Fish Size (Inches)	Contaminant	Group
Wabash River (Cont.)				
Miami County (Cont.)	Sauger	Up to 13		3
		13-19		4
		19+		5
	Smallmouth Buffalo	Up to 25		4
		25+		5
Cass/Carroll Counties	Black Redhorse	19+		3
	Blue Sucker	21-26		3
		26+		4
	Channel Catfish	19+		3
	Freshwater Drum	12-18		3
		18+		4
	Sauger	Up to 13		3
		13-19		4
		19+		5
	Smallmouth Buffalo	Up to 25		4
		25+		5
Tippecanoe County	Bigmouth Buffalo	20+		3
	Blue Sucker	21-26		3
		26+		4
	Channel Catfish	11-15		3
		15+		4
	Flathead Catfish	24+		3
	Freshwater Drum	12-18		3
		18+		4
	Paddlefish	34+		3
	Quillback	13-19		4
		19+		5
	River Redhorse	19+		3
	River Carpsucker	14-16		3
		16+		4

 General Population
 O = Mercury
 □ = PCB

 Group 1 = Unlimited meals
 Group 2 = 1 meal/week
 Group 3 = 1 meal/week

 Group 4 = 1 meal/2 months
 Group 5 = DO NOT EAT

 (For women and children, please refer to the Guidelines on page 8.)

 ☐ = PCBs Group 3 = 1 meal/month

Page 32

Location	Species	Fish Size (Inches)	Contaminant	Group
Wabash River (Cont.)				
Tippecanoe County	Sauger	Up to 13		3
(Cont.)		13-19		4
		19+		5
	Smallmouth Buffalo	Up to 25		4
		25+		5
Fountain/Vermillion Counties	Bigmouth Buffalo	18+		3
Counties	Blue Sucker	21-26		3
		26+		4
	Channel Catfish	13-19		3
		19+		4
	Freshwater Drum	12-18		3
		18+		4
	Sauger	Up to 13		3
		13-19		4
		19+		5
	Smallmouth Buffalo	Up to 25		4
		25+		5
Vigo County	Bigmouth Buffalo	21-24		3
		24+		4
	Blue Sucker	21-26		3
		26+		4
	Carpsucker	17+		3
	Channel Catfish	13-19		3
		19+		4
	Flathead Catfish	20+		3
	Freshwater Drum	12-18		3
		18+		4

	_	
General Population	O = Mercury	□ = PCBs
Group 1 = Unlimited meals	Group 2 = 1 meal/week	Group 3 = 1 meal/month
0 4 4 1/0 //	0 5 50 1107 547	

Group 4 = 1 meal/2 months Group 5 = DO NOT EAT (For women and children, please refer to the Guidelines on page 8.)

Location	Species	Fish Size (inches)	Contaminant	Group
Wabash River (Cont.)				
Vigo County (Cont.)	Sauger	Up to 13		3
		13-19		4
		19+		5
	Shovelnose Sturgeon	30+		3
	Smallmouth Buffalo	Up to 25		4
		25+		5
	Wiper	10-12		3
		12+		4
Sullivan County	Blue Sucker	21-26		3
		26+		4
	Channel Catfish	13-19		3
		19+		4
	Flathead Catfish	16-31		3
		31+		4
	Sauger	Up to 13		3
		13-19		4
		19+		5
	Smallmouth Buffalo	Up to 25		4
		25+		5
Knox County	Blue Sucker	21-26		3
		26+		4
	Channel Catfish	19+		3
	Freshwater Drum	12-18	0	3
		18+		4
	Sauger	Up to 13		3
		13-19		4
		19+		5
	Smallmouth Buffalo	25+		5
Gibson County	Blue Sucker	21-26		3
		26+		4

General Population
Group 1 = Unlimited meals
Group 4 = 1 meal/2 months
(For women and children, please refer to the Guidelines on page 8.)

General Population
O = Mercury
Group 2 = 1 meal/week
Group 3
Group 5 = DO NOT EAT □ = PCBs Group 3 = 1 meal/month

Page 34

Gibson County (Cont.)	Channel Catfish	19+		3
	Freshwater Drum	18+		3
	Sauger	Up to 13		3
		13-19		4
		19+		5
	Smallmouth Buffalo	Up to 25		4
		25+		5
Posey County	Blue Sucker	21-26		3
		26+		4
	Flathead Catfish	19+		3
	Sauger	Up to 13		3
		13-19		4
		19+		5
	Smallmouth Buffalo	Up to 25		4
		25+		5
	White Bass	11-21		3
		21+		4
	Wiper	13+		3
Wea Creek				
Tippecanoe County	ALL SPECIES	ALL		5
West Fork of White Riv	ver			
Randolph County	Carp	18-22	Ц	2
		22+		3
	Channel Catfish	14-16		3
		16+		4
	Creek Chub	8+		3
	Longear Sunfish	5+		3
	Quillback	13-18		3
		18+		4
	Spotted Sucker	11-13		3
		13+		4

Fish Size

(inches)

Contaminant Group

Location

Wabash River (Cont.)

Species

General Population	O = Mercury	□ = PCBs
Group 1 = Unlimited meals	Group 2 = 1 meal/week	Group 3 = 1 meal/mont
Group 4 = 1 meal/2 months	Group 5 = DO NOT EAT	
(For women and children, plea	ase refer to the Guidelines o	n page 8.)

Location	Species	Fish Size (inches)	Contaminant	Group
West Fork of White I	River (Cont.)			
Delaware County	Black Bullhead	9+		3
	Black Redhorse	14-16		3
		16+		4
	Channel Catfish	14-16		3
		16+		4
	Largemouth Bass	10-15		3
		15+		4
	Quillback	13-18		3
		18+		4
	Spotted Sucker	11-13		3
		13+		4
	White Sucker	15+		3
Madison County	Green Sunfish	6+		3
	Spotted Sucker	11+		3
Hamilton County	Carp	Up to 17		3
		17-20		4
		20+		5
	Largemouth Bass	11-17		3
		17+		4
	Longear Sunfish	4-9		3
		9+		4
	Quillback	13-18		3
		18+		4
Marion County (Upstr	eam of Broad Ripple Dam)	<u></u>	
	Largemouth Bass	11-16		3
	_	16+		4
Marion County (Down	stream of Broad Ripple D			4
	Bluegill	Up to 6		1
	Carp	Up to 19		4
		19+		5

General Population
Group 1 = Unlimited meals
Group 4 = 1 meal/2 months
(For women and children, please refer to the Guidelines on page 8.)

General Population
O = Mercury
Group 2 = 1 meal/week
Group 3
Group 5 = DO NOT EAT □ = PCBs Group 3 = 1 meal/month

Page 36

Location	Species	Fish Size (inches)	Contaminant	Group		
West Fork of White R						
Marion County (Downs	Marion County (Downstream of Broad Ripple Dam)					
	Channel Catfish	12-17	\vdash	3		
		17+		4		
	Flathead Catfish	13-15		3		
		15+	_ <u> </u>	4		
	Largemouth Bass	17+		3		
	River Carpsucker	14-17		3		
		17+		4		
	Quillback	13-18		3		
		18+		4		
	Smallmouth Bass	11+		3		
	Spotted Bass	11-13		3		
		13+		4		
Morgan County	Black Redhorse	15-16		3		
		16+		4		
	Carp	16-27		3		
		27+		4		
	Channel Catfish	18-22		3		
		22+		4		
	Flathead Catfish	Up to 30		4		
		30+		5		
	Largemouth Bass	16+		3		
	Quillback	13-18		3		
		18+		4		
	River Carpsucker	14-17		3		
	Smallmouth Bass	15-17		3		
		17+		4		
	Spotted Bass	11-13		3		
		13+		4		
	Spotted Sucker	11-13		3		
		13+		4		

General Population	O = Mercury	□ = PCBs
Group 1 = Unlimited meals	Group 2 = 1 meal/week	Group 3 = 1 meal/month
Group 4 = 1 meal/2 months	Group 5 = DO NOT EAT	
(For women and children, plea	ise refer to the Guidelines or	n page 8.)

Location	Species	Fish Size (inches)	Contaminant	Group
West Fork of White Ri	ver (Cont.)			
Owen County	Bigmouth Buffalo	24+		3
	Channel Catfish	15+		3
	Freshwater Drum	15+		3
	Quillback	13-18		3
		18+		4
	River Carpsucker	15+		3
	Sauger	Up to 14		3
		14+		4
	Spotted Bass	11+		3
	Spotted Sucker	11-13		3
		13+		4
	White Bass	14-15		3
		15+		4
Greene County	Bigmouth Buffalo	20+		3
	Channel Catfish	14-16		3
		16+		4
	Quillback	18+		3
	River Carpsucker	15+		3
	Spotted Sucker	11-13		3
		13+		4
Daviess County	Bigmouth Buffalo	19+		3
	Channel Catfish	18+		3
	Flathead Catfish	14+		3
	Quillback	13-18		3
		18+		4
	Spotted Sucker	11-13		3
		13+		4
	White Bass	14-15		3
		15+		4

 General Population
 O = Mercury
 □ = PCE

 Group 1 = Unlimited meals
 Group 2 = 1 meal/week
 Group 3

 Group 4 = 1 meal/2 months
 Group 5 = DO NOT EAT
 (For women and children, please refer to the Guidelines on page 8.)

 □ = PCBs Group 3 = 1 meal/month

Page 38

White River Pike/Gibson Counties Bigmouth Buffalo 25+ 3 Pike/Gibson Counties Channel Catfish 18+ 3 Flathead Catfish 16+ 3 Largemouth Bass 17+ 0 3 Quillback 13-18 3 18+ 4 4 Smallmouth Bass 12+ 0 3 Smallmouth Buffalo 18-22 3 3 22+ 4 4 3 Spotted Bass 9+ 3 3 Spotted Sucker 11-13 3 3 White Lick Creek 4 3 4 Hendricks County Channel Catfish 22+ 3 Smallmouth Bass 14+ 3 Morgan County Channel Catfish 22+ 3 Smallmouth Bass 12+ 3 Whitewater River (Greens Fork, Martindale Creek, Middle Fork, Nolands Fork, West Fork) 3 Wayne/Fayette/ Franklin/Dearborn Black Redhorse 22+ 0 3
Flathead Catfish
Largemouth Bass 17+
Quillback
18+
Smallmouth Bass 12+
Smallmouth Buffalo
22+
Spotted Bass 9+
Spotted Sucker
13+
White Lick Creek
Hendricks County
Smallmouth Bass 14+ 3 3
Morgan County Channel Catfish 22+ 3 Smallmouth Bass 12+ 3 Whitewater River (Greens Fork, Martindale Creek, Middle Fork, Nolands Fork, West Fork) Wayne/Fayette/ Black Redhorse 22+ 3 3
Smallmouth Bass 12+ 3 Whitewater River (Greens Fork, Martindale Creek, Middle Fork, Nolands Fork, West Fork) Wayne/Fayette/ Black Redhorse 22+ O 3
Whitewater River (Greens Fork, Martindale Creek, Middle Fork, Nolands Fork, West Fork) Wayne/Fayette/ Black Redhorse 22+ O 3
(Greens Fork, Martindale Creek, Middle Fork, Nolands Fork, West Fork) Wayne/Fayette/ Black Redhorse 22+ O 3
Counties Carp 19-25 0 2
25+
Channel Catfish 20+ 3
Freshwater Drum 15+ 3
Golden Redhorse Up to 14 1
Longear Sunfish Up to 5 1
Northern Hogsucker Up to 9 1
Rock Bass Up to 7 1
Smallmouth Bass Up to 10 1
White Sucker Up to 10 1

General Population	O = Mercury	□ = PCBs
Group 1 - Unlimited meals	Group 2 – 1 meal/week	Group 3 – 1 meal/m

Group 5 = DO NOT EAT Group 4 = 1 meal/2 months

Location	Species	Fish Size (inches)	Contaminant	Group		
Whitewater River (West Fork of the East Fork)						
Wayne County	White Sucker	Up to 7		1		
Wildcat Creek						
Howard County (Upstrea	m of the Waterworks Dan	,		_		
-	Bluegill	Up to 6	_	1		
-	Carp	>21		3		
<u>-</u>	Longear Sunfish	Up to 5		1		
_	Rock Bass	Up to 6		1		
Howard County (Downst	ream of the Waterworks D	Dam in Kokom	0)			
_	ALL SPECIES	ALL		5		
Carroll County	ALL SPECIES	ALL		5		
Tippecanoe County	All Species (unless specifically listed)	ALL		4		
- -	Black Bass Species	10+		3		
- -	Carp	ALL		5		
	Carpsucker	12-13		3		
_	Channel Catfish	Up to 22		3		
_	Freshwater Drum	16+		5		
_	Flathead Catfish	18+		5		
_	Golden Redhorse	12-14		3		
_	Longear Sunfish	Up to 5		3		
_	Shorthead Redhorse	13+		5		
	White Bass	ALL		5		
Wilson Ditch						
Miami County	Creek Chub	Up to 5		1		
Young's Creek						
Johnson County	Northern Hogsucker	10+		3		

General Population □ = PCBs O = Mercury Group 2 = 1 meal/week Group 1 = Unlimited meals Group 3 = 1 meal/month

Group 5 = DO NOT EAT Group 4 = 1 meal/2 months

(For women and children, please refer to the Guidelines on page 8.)

Page 40

2005 Lakes and Reservoirs Advisory

Location	Species	Fish Size (inches)	Contaminant	Group
Adams Lake				
LaGrange County	Walleye	20+	0	3
	Yellow Perch	Up to 13		1
Atwood Lake				
LaGrange County	Bluegill	Up to 7		1
Big Turkey Lake				
LaGrange County	Black Crappie	Up to 8		1
	Bluegill	Up to 7		1
Blue Lake				
Whitley County	Bluegill	Up to 8		1
Brookville Reservoir				
Franklin/Union Counties	Bluegill	Up to 7		1
Counties	Largemouth Bass	Up to 14		1
		15+		3
	White Crappie	Up to 9		1
Cedar Lake				
Lake County	Channel Catfish	16+		3
Center Lake				
Koscuisko County	Black Bullhead	11-14		3
		14+		4
	Bluegill	7+		3
	Largemouth Bass	14+		3
Dogwood Lake				
Daviess County	Bluegill	Up to 7		1
	Redear Sunfish	Up to 8		1
	Warmouth	Up to 6		1
Dugger Lake				
Sullivan County	Catfish	ALL		3

O = Mercury □ = PCBs **General Population**

Group 2 = 1 meal/week Group 5 = DO NOT EAT Group 1 = Unlimited meals Group 3 = 1 meal/month Group 4 = 1 meal/2 months

(For women and children, please refer to the Guidelines on page 8.)

Page 41